



# Removing Vinyl Asbestos Tile in New Jersey



A Contractor's Guide for the Non-friable Removal of Vinyl Asbestos Floor Tiles

#### Information Includes:

- General requirements for VAT removal
- Requirements for removing VAT which is covered by carpeting
- General recommendations
- Forms

Consumer and Environmental Health Services Indoor Environments Program PO Box 369, 3635 Quakerbridge Road Trenton, NJ 08625-0369

Phone: 609-631-6749 Fax: 609-588-6749

# **Table of Contents**


Purpose	1
Background	1
How to Begin	1
Removal Guidelines	2
Removal of VAT Covered by Carpeting	3
General Recommendations	3
DHSS Oversight	4
Appendix—Forms	5

Contractor Information for Non-Friable Asbestos Work Activities

Notification of Non-Friable Asbestos Work Activities

### **Purpose**

The purpose of this document is to provide guidance and establish minimum work-practice requirements for the removal of non-friable vinyl asbestos floor tiles (VAT). This document will establish the following:





- Removal procedures which reduce occupational and environmental exposures to airborne asbestos fibers.
- Procedures for the submission and review of exemption requests and contractor filing of pre-removal notifications.

# **Background**

N.J.A.C. 8:60, *Asbestos Licenses and Permits*, allows certain asbestos removal activities to be exempted, providing certain requirements are met. One activity which can be exempted from the permit and licensing requirements is the removal of vinyl asbestos floor tiles (VAT). To qualify for an exemption, contractors must comply with the guidance provided in this document.

### How to Begin

Prior to performing any exempted activities, a contractor must initially submit a completed *Contractor Information for Non-Friable Asbestos Work Activities—Exemption Request* form to the DHSS. DHSS staff will verify that all of the information provided is accurate.

Following is a list of items required to be submitted:

Method of Removal—Contractors must indicate the method of removal and sign a statement that those methods will be adhered to during the removal of the VAT. Currently, the only removal method recognized by the DHSS is the Resilient Floor Covering Institute's (RFCI's) Recommended Work Practices for the Removal of Resilient Floor Coverings.

### How to Begin (cont'd)

- Employee Training—Evidence that employee's have been trained by the manufacturer on any specialized equipment to be used (such us a radiant heat machine), must be provided.
- OSHA Training—Must provide evidence of completion of a training course which complies with the OSHA Asbestos Standard, 29 CFR part 1926-1101, sections (k)(9) (iv) and (o)(4)(i) for Class II operations. This documentation must be submitted for each employee who will be removing the VAT.

**NOTE:** The use of historical data as prepared by the RFCI through a study performed by the Environ Corporation, may be used to satisfy the OSHA requirements for the initial negative exposure assessment. In granting an exemption, as specified under N.J.A.C. 8:60, the DHSS will accept this data. However, the contractor must ensure that the conditions during the removal are consistent with the conditions specified in the RFCI document. If work site conditions will differ from those specified by RFCI, the contractor must provide current exposure data which is relevant to the conditions under which the work will be performed.

### Removal Guidelines

The following steps must be followed prior to and during a VAT removal:


- 1. Heat must be used, following the RFCI recommended work practices for removal and clean-up.
- 2. The contractor must follow work practices which limit tile breakage during work. When tiles begin to break frequently (more than once every so often), removal activities must cease.
- 3. Contractors must have the scope of work on the job site at all times during the work.

**NOTE:** "Intact" means that the VAT has not crumbled, been pulverized, or has deteriorated to such a degree that asbestos fibers are no longer bound in the matrix of the tile. Incidental breakage of VAT during a removal operation, which is being conducted in accordance with RFCI guidelines, does not mean the material is not being removed intact.

### Removal Guidelines (cont'd)

- 4. Contractors must generally isolate the work area by posting notices and placing demarcation barriers between any building occupants and the work area.
- 5. All HVAC vents must be sealed with poly.
- 6. All building occupants not involved in the removal of the VAT must be restricted from entering the work area.
- 7. All movable objects must be moved out of the work area.
- 8. All horizontal surfaces must be wet wiped and then vacuumed with a vacuum cleaner equipped with a High Efficiency Particulate Air (HEPA) filter. The vacuum cleaner must be made for this purpose as household vacuum cleaners equipped with a HEPA filter are not adequate.
- 9. Contractors must comply with all applicable state and federal regulations regarding the transport and disposal of asbestos containing materials.

### Removal of VAT Covered by Carpeting



- 1. Thoroughly saturate the carpeting prior to beginning the removal of the carpeting.
- . Cut the carpeting into manageable strips using a razor knife.
- 3. Firmly pull the carpeting up while continually misting both sides of the carpet.
- 4. Any tiles which remain attached to the carpeting should be removed and bagged, or the entire strip of carpeting should be bagged as ACM.
- 5. For the removal of tiles remaining on the floor, follow the RFCI work practices.
- 6. All debris, carpet, and tiles must be disposed of in accordance with any applicable federal and/or state regulations.

### **General Recommendations**

Following are some general recommendations to consider when planning a VAT removal:

- Work should be performed during a time when there are no or very few occupants in the building.
- All horizontal surfaces should be covered with poly or another non-permeable disposable barrier.
- HEPA filtration units should be used and vented outside the building, when feasible.
- Transmission Electron Microscopy (TEM) air testing should be performed at the completion of the job to ensure the area is safe for re-occupancy.



### **DHSS Oversight**

A *Notification of Non-Friable Asbestos Work Activities* form must be submitted 10 days in advance of the beginning of the job. Should an emergency arise which requires the material to be removed sooner than 10 days, a written justification from the building owner must accompany the form.

Field inspections will be conducted to evaluate compliance with the guidelines outlined and referenced in this document. The DHSS has the responsibility to ensure that building occupants are not at significant risk or potentially at risk as a result of the work practices employed by the contractor. Therefore, the contractor may be directed to alter their work practices to ensure the safety of the building occupants. The DHSS reserves the right to rescind any exemption approval granted to a contractor to perform exempted activities.

Situations may arise when these requirements and recommendations may not be applicable. If the contractor desires to seek relief from any of the requirements specified herein, a written request must be forwarded to the DHSS. The request shall identify the situation which may not conform to the work practices specified and what alternate work practices will be utilized. Written requests should be forwarded to the following address or fax number:

New Jersey Department of Health and Senior Services Consumer and Environmental Health Services Indoor Environments Program PO Box 369, 3635 Quakerbridge Road Trenton, NJ 08625-0369

Fax: 609-588-7618

For more information you may contact the DHSS at 609-631-6749.

# **Appendix**

The following pages, are forms which must be completed and sent to the DHSS prior to beginning VAT removal as an exemption. Below is a description of each document:

Contractor Information for Non-Friable Asbestos Work Activities—Exemption Request: This form must be completed and submitted the first time a contractor wishes to perform exempted activities of normally regulated non-friable ACM. The form requests basic company information, contact information, as well as historical information pertaining to such work. A company representative must sign and date the document and submit it to the DHSS at the address on the form.

Notification of Non-Friable Asbestos Work Activities: This form must be completed and submitted to the DHSS prior to the beginning of the work.

#### Directions for the Completion and Submission of the Contractor Information for Non-Friable Asbestos Work Activities—Exemption Request Form

The *Contractor Information for Non-Friable Asbestos Work Activities* form must be fully completed and submitted along with the following items:

Employee Training—Evidence that employee's have been trained by the manufacturer on any specialized equipment to be used (such us a radiant heat machine), must be provided.

OSHA Training—Must provide evidence of completion of a training course which complies with the OSHA Asbestos Standard, 29 CFR part 1926-1101, sections (k)(9)(iv) and (o)(4)(i) for Class II operations. This documentation must be submitted for each employee who will be removing the VAT.

The following steps must be followed prior to and during a VAT removal:

- 1. Heat must be used, following the RFCI recommended work practices for removal and clean-up.
- 2. The contractor must follow work practices which limit tile breakage during work. When tiles begin to break more than once every so often, removal activities must cease.
- 3. Contractors must have the scope of work on the job site at all times during the work.
- 4. Contractors must generally isolate the work area by posting notices and placing demarcation barriers between any building occupants and the work area.
- 5. All HVAC vents must be sealed with poly.
- All building occupants not involved in the removal of the VAT must be restricted from entering the work area.
- 7. All movable objects must be moved out of the work area.
- 8. All horizontal surfaces must be wet wiped and High Efficiency Particulate Air (HEPA) vacuumed after removal is complete.
- 9. Contractors must comply with all applicable state and federal regulations regarding the transport and disposal of asbestos containing materials.

The removal of VAT, which is covered by carpeting, is not addressed in the RFCI work practices. Therefore, the following requirements should be followed when carpet covered VAT is removed:

- 1. Thoroughly saturate the carpeting prior to beginning the removal of the carpeting.
- 2. Cut the carpeting into manageable strips using a razor knife.
- 3. Firmly pull the carpeting up while continually misting both sides of the carpet.
- 4. Any tiles which remain attached to the carpeting should be removed and bagged, or the entire strip of carpeting should be bagged as ACM.
- 5. For the removal of tiles remaining on the floor, follow the RFCI work practices.
- 6. All debris, carpet, and tiles must be disposed of in accordance with any applicable federal and/or state regulations.

The completed form and supporting documentation should be sent to the following address:

New Jersey Department of Health and Senior Services Consumer and Environmental Health Services Indoor Environments Program PO Box 369, 3635 Quakerbridge Road Trenton, NJ 08625-0369

If you have questions regarding the completion or submission of this package, you can call 609-631-6749.

If you have questions regarding the disposal of asbestos waste in NJ you can contact the NJ Department of Environmental Protection (DEP) at 609-984-6985.

#### New Jersey Department of Health and Senior Services

#### PO Box 369, 3635 Quakerbridge Road Trenton, NJ 08625-0369

Telephone: 609-631-6749 Fax: 609-588-7618

#### CONTRACTOR INFORMATION FOR NON-FRIABLE ASBESTOS WORK ACTIVITIES—Exemption Request Please Type or Print Legibly

	Type of Exe	mption Request			
[ ] Floor Tile [ ] Roofing [ ] S	iding [ ] Transite	Other, explain	1:		
	General	Information			
Name of Company:					
Type of Company: [ ] Corporation	[ ] Individual	[ ] Partners	hip		
Mailing Address:		City:		State:	Zip:
Company Name:			Telep	hone No.:	
Fax No.:	Telephone No.:	F	ederal I.D. Num	nber:	
Corporation Number (if applicable):	Date Incorpo	orated:/	/St	tate Incorporated I	n:
	Primary Co.	mpany Contact			
Name:	Title:		Tele	phone No.:	
Address:		City:		State:	Zip:
	Company (as identi	fied above) Infor	mation		
How long has the company/agency bee	en in existence?	Years		_Months	
Has the company's name changed with	nin the past two (2) years?	[ ]	No [ ] Yes	If yes, explain b	elow:
Is the company/agency an affiliate or s	ubsidiary of any other organi	zation? [ ]	No [ ] Yes*	<del></del>	
*If you answered yes to the above ques a separate piece of paper.	stion, list the name(s) and ac	ldress(es) fo the r	elated organiza	ition(s) and explair	n the relationship on
List all owners, partners, shareholders	(10% or more), officers, and	directors of the co	ompany (use a s	separate piece of p	paper if necessary):
Name (Last, First, Middle Initial)	Address	Offi	ce/Title		% Ownership

Go To Page 2 to Complete This Application

#### CONTRACTOR INFORMATION FOR NON-FRIABLE ASBESTOS WORK ACTIVITIES (cont'd)

#### Company's History of Legal Actions

If you answer "yes" to any of the following questions, you must provide a detailed statement to fully explain the circumstances, and attach the statement to this form.

Has the company or any person identified on this form:

No No No No No sebest	]	] Yes ] Yes ] Yes ] Yes ] Yes
No No No	] ] ]	] Yes
No No	]	] Yes
No	]	
	[	] Yes
sbest		
sbest		
	0S	
or aft∈	er tl	ne
rstand	d th	at if
losure hat fa	e of ilur	any e to
	ore	-
of th	e c	om-
	or after stand the stand t	s of the c

#### New Jersey Department of Health and Senior Services PO Box 369, 3635 Quakerbridge Road

Trenton, NJ 08625-0369
Telephone: 609-631-6749 Fax: 609-588-7618

#### NOTIFICATION OF NON-FRIABLE ASBESTOS WORK ACTIVITIES

Must be submitted 10 days prior to the beginning of work. Please type or print legibly.

Type of Notification	on (check one) and Date Submitted			
[ ] Initial [ ] Amended [ ] Cancellation [ ] Emerge	ency (must include justification) Date of Notification://			
В	uilding Information			
Name of Building Owner/Operator:				
Street Address:	City: State:Zip:			
Name of Contact:	Telephone No.:			
F	acility Information			
Name of Facility Where Work Activity is to Take Place:				
Describe Facility Use:				
Street Address:	City: State:Zip:			
County Name:	County Code (state use only).:			
Scheduled Start Date:/	Scheduled Completion Date://			
Occupancy Status During Activity (check only one):				
[ ] Facility Closed/Vacated During Entire	e Activity			
[ ] Activity Performed Outside Normal F	acility Hours—Describe:			
Other—Describe:				
Scope of Work (check all that apply):				
[ ] Floor Tile Square Footage:	Percentage Asbestos:			
[ ] Mastic Square Footage:	e: Percentage Asbestos:			
[ ] Other: Square Footage:	Percentage As bestos:			
Сол	ntractor Information			
Company Name:	Name:Telephone No.:			
Street Address:	City: State:Zip:			
New Jersey Asbestos License Number (if applicable):				
Monitoring Firm (if applicable):	toring Firm (if applicable): Telephone No.:			
	Signature			
Completed By (type or print legibly):	Title:			
Signature:	Date:			